
inesday, 1/31/2007 2:59:21 PM Kim Johnston User: **Process Sheet** : ARM **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Job Number : 30538 Estimate Number : 12579 : D35602 **Part Number** : NIA P.O. Number : D3560 UNDER REVIEW S.O. No. : N/P **Drawing Number** This Issue : 1/31/2007 : N/A : NC Project Number Prsht Rev. · NM-: SMALL /MED FAB **Drawing Revision** First Issue : 29448 Material Previous Run Each : 2/7/2007 5 Um: **Due Date** Written By Checked & Approved By Mew Issue 06-11-10 JLM : Est Rev:A Comment **Additional Product** Use Bushings B#31326 Job Number: (D7809) (or these arms Seq. #: 1.0 M6061T6B0500X06000 Comment: Qty.: 1 f(s)/Unit Total: 5 f(s) 6061-T6 Bar .50" x 6.0" Batch: WATER JE 2.0 Comment: FLOW WATER JET 1-Cut as per Dwg D3560 Dwg Rev: Prog Rev: A: 2-Deburr if necessary Note: 507" Dia & .196" Dia Holes are to opened on manual mill after Waterjet INSPECT PARTS AS THEY COME OFF MACHINE 3.0 QC2 07 03 12 07 03 07 Comment: INSPECT PARTS AS THEY COME OFF MACHINE CONVENTIONAL MILLING MACHINE . MILLING CONV Comment: CONVENTIONAL MILLING MACHINE 1-Open .196" Dia hole 2-C'Bore as per Dwg D3560. 3-Ream .507" as per Dwg D3560

Page 1

\*\*\*Ensure to C'Bore on Corect side\*\*\*

Form: mrocess

86 / DJR 07/03/08



W/O: WORK ORDER CHANGE					-			
DATE	STEP	PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					÷		1	
							(14)	
		4	÷				,	

Part No: D3560-2 PAR #: - NA Fault Category: Roll Fire PBS NCR: Ses No DQA: Date: \_\_\_\_\_ Date: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:	305	88 <b>W</b>	ORK OR	DER NON-CONFORMANCE	(NCR)			
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Section B  Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector
ouloslog	H.0	4 parts scrap C'bore 0.507" is over tol. by 0.006" Can't press fit bushing	Toyon	-destroy 4 parts  When doing the FAI you need to write the demension your measure not exceptable	m 07 03 09	07/03/09	Mayor mayor	21/ps/de
				-replace 4 parts -IF FAI is not good don't to the other part	<b>&gt;</b>	÷		
		·						Ç

NOTE: Date & initial all entries

Wednesday, 1/31/2007 2:59:21 PM Date: UGer: Kim Johnston **Process Sheet** Drawing Name: ARM Customer: CU-DAR001 Dart Helicopters Services Part Number: D35602 Job Number: 30538 Job Number: Description: Seq. #: **Machine Or Operation:** INSPECT PARTS AS THEY COME OFF MACHINE 5.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE (9) SECOND CHECK 6.0 QC8 01.03.20 Comment: SECOND CHECK 7.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: MAD FINAL INSPECTION/W/O RELEASE 8.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Form: rorocess

Page 2


## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					ė	f	
,		· · · · · · · · · · · · · · · · · · ·		÷		*	
, , , , ,			L	<u> </u>	1		


Part No:	_PAR #:	Fault Category:	NCR: Yes No	DQA:	Date:
			QA: N/C	Closed:	Date:

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC	Corrective Action Section B			Verification	Annessal	Ammayal
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng.	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
				25				
				:				
*								
		. (*	y.,				i	
			4	447				

NOTE: Date & initial all entries



						į.	,	
			(4)					
	•							
	•					;		
			e					æ
						1		
				E.				
		a .						
			¥ .	(3				, a
•	1 & 1 × 1		ķ		-1			.53
			•					, 5
	¥	*	•					4
				(9)		7		
				95				
	•			<b>&amp;</b> *				
				G G				
				19				
				4				
		12				i		
				•			+ 3- + 1	
				. •		+	2	
				4=		7		
	the same of the sa						eq ·	



	in I O don	00630
DART AEROSPACE LTD	Work Order:	30328
		2001
Description: ARM	Part Number:	D3560-2
Description. A No.		
Inspection Dwg: N3, Rev: A		Page 1 of 1

## FIRST ARTICLE INSPECTION CHECKLIST

	X	First Article	X	Prototype
--	---	---------------	---	-----------

Drawing Dimension	Tolerance	Actual Dimension	Accept	lejest	Method of Inspection	Comments
0.500	+/-0.010	0.501	<u> </u>		vern	
2.465	4-0.00	2468	<b>✓</b>		Hight GUA	l
0.250	4-0.010	0.255	/		Yer~	
0.125	HO.010	0.130	1		verd	
1-000	41-0.010	1.005	/		Nrvi .	
2.000	+1-0.010	2.007	✓		Vern	
1.700	41-0.010	1.707			vern	
0.850	4-0.010	0-855	V		VEIN	
0.507	10,000 -0.001	0.507	/	,		
0.250	±0.010	0.252	<b>'</b>			
0.385 x 100°	±0.010	0.385	/			
0.196	+0,005 -0,001	0.197				
<u> </u>		7				and the company of the last one continue administration of the last contract and administration of the contract and the contr
	-					
				/		
		0.513				The second secon
		M2103/08				
		H-01/03	1			
			1			
			1 E		·	
	1,		<u> </u>	J	J	

Measured by: MM M/ M/ Date: 07 03 07

Audited by: SN Date: 03.20 Prototype Approval:

Date:

			 Revised by Approve
Rev	Date	Change	
A		New Issue	KJ/JLM

DART AEROSPACE LTD	Work Order:	30538
Description: Arm	Part Number:	D3560-2
Inspection Dwg: D3560 Rev: A		Page 1 of 1

## FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.507	+0.000/-0.001					
Ø0.196	+0.005/-0.001	0.200	1		vern	
Ø1.000	+0.010/-0.001	1.000	1		vern	17.8 - 18.4 man and 18.4 man an
2.465	+/-0.010	2.470	$\sqrt{}$		Vern	
0.500	+/-0.010	0.504	<b>V</b>		Vern	
0.250	+/-0.010	0.251	1		VerN	
0.250	+/-0.010	0.250	<b>V</b>		VerN	
0.125	+/-0.010	0.125	V		Vern	
2.000	+/-0.010	2.002	$\checkmark$		Yern	
1.700	+/-0.010	1.701	V		vern	
Ø0.385 x 100°	+/-0.010 x 0.5°	, <del>3</del> 85	<u></u>			
0.250 Deep	+/-0.010	.745	<u></u>			
•						

Measured by: MA Audited by: SI Prototype Approval: N/A

Date: 07 03 /3 Date: 103 .20 Date: N/A

Rev	Date	Change	Revised by	Approved
Α	07.01.17	New Issue	KJ/JLM	

H:\FORMS\Quality Assurance\approved QA\FAI revD

E

CMC CMC